

according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No. 2015/830

Revision date: 23/6/2020
Version: 12
Language: en-GB,IE
Date of print: 6/9/2022

UIBC FS Reagent R2

Material number 1 1921 R2 Page: 1 of 8

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: UIBC FS Reagent R2

As part of the kits: 1 1921 XX XX XXX (The positions X code different packages.)

1.2 Relevant identified uses of the substance or mixture and uses advised against

General use: Reagent for in-vitro diagnostics in human samples

For professional use only.

1.3 Details of the supplier of the safety data sheet

Company name: DiaSys Diagnostic Systems GmbH

 Street/POB-No.:
 Alte Strasse 9

 Postal Code, city:
 65558 Holzheim

 WWW:
 http://www.diasys.de

 E-mail:
 mail@diasys.de

 Telephone:
 +49 (0) 6432-9146-0

 Telefax:
 +49 (0) 6432-9146-32

Department responsible for information:

Corporate headquarters, Telephone: +49 (0) 6432-9146-0, Email: mail@diasys.de

1.4 Emergency telephone number

Infraserv, Telephone: +49 (0) 69-305-6418

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to EC regulation 1272/2008 (CLP)

This mixture is classified as not hazardous.

2.2 Label elements

Labelling (CLP)

Hazard statements: not applicable
Precautionary statements: not applicable

Special labelling

EUH210 Safety data sheet available on request.

2.3 Other hazards

Due to its pH value (see section 9), irritation of the skin and eyes cannot be ruled out.

Results of PBT and vPvB assessment:

No data available



according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No. 2015/830

Revision date: 23/6/2020
Version: 12
Language: en-GB,IE
Date of print: 6/9/2022

UIBC FS Reagent R2

Material number 1 1921 R2 Page: 2 of 8

SECTION 3: Composition/information on ingredients

3.1 Substances: not applicable

3.2 Mixtures

Chemical characterisation: Aqueous solution with Ascorbic acid

Hazardous ingredients:

Ingredient	Designation	Content	Classification
EC No. 200-543-5 CAS 62-56-6	Thiourea	< 1 %	Acute Tox. 4; H302. Carc. 2; H351. Repr. 2; H361d. Aquatic Chronic 2; H411.

Full text of H- and FUH-statements: see section 16

SECTION 4: First aid measures

4.1 Description of first aid measures

In case of inhalation: Provide fresh air. If the casualty has difficulty breathing, call a doctor immediately.

Following skin contact: Change contaminated clothing. After contact with skin, wash immediately with plenty of

water.

In case of skin irritation, consult a physician.

After eye contact: Immediately flush eyes with plenty of flowing water for 10 to 15 minutes holding eyelids

apart. Remove contact lenses, if present and easy to do. Continue rinsing. In case of troubles or persistent symptoms, consult an opthalmologist.

After swallowing: Rinse mouth immediately and drink plenty of water.

Do not induce vomiting. Seek medical attention.

4.2 Most important symptoms and effects, both acute and delayed

Can cause skin, eye and respiratory tract irritation.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media:

Product is non-combustible. Extinguishing materials should therefore be selected according to surroundings.

5.2 Special hazards arising from the substance or mixture

Fires in the immediate vicinity may cause the development of dangerous vapours. In case of fire may be liberated: Sulphur oxides, nitrogen oxides (NOx), carbon monoxide and carbon dioxide.

5.3 Advice for firefighters

Special protective equipment for firefighters:

Wear self-contained breathing apparatus.

Additional information: Hazchem-Code: -

Do not allow water used to extinguish fire to enter drains, ground or waterways.



according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No. 2015/830

Revision date: 23/6/2020 Version: 12 Language: en-GB,IE Date of print: 6/9/2022

UIBC FS Reagent R2

Material number 1 1921 R2 Page: 3 of 8

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid contact with skin, eyes, and clothing. Provide adequate ventilation. Avoid contact with the substance. Keep unprotected people away. Wear appropriate protective equipment.

6.2 Environmental precautions

Do not allow to penetrate into soil, waterbodies or drains.

6.3 Methods and material for containment and cleaning up

Soak up with absorbent materials such as sand, siliceus earth, acid- or universal binder. Store in special closed containers and dispose of according to ordinance. Final cleaning.

6.4 Reference to other sections

Refer additionally to section 8 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advices on safe handling: Provide adequate ventila

Provide adequate ventilation, and local exhaust as needed. Avoid contact with skin, eyes, and clothing.

Keep all containers, equipment and working place clean. Wear appropriate protective equipment.

Change contaminated clothing. Have eye wash bottle or eye rinse ready at work place.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storerooms and containers:

Keep containers tightly closed and at a temperature between 2 °C and 8 °C. Protect against heat /sun rays. Keep sterile. Do not freeze.

Unsuitable materials: Aluminium, copper, copper alloys, zinc.

Hints on joint storage: Do not store together with strong acids, alkalis, aluminium or copper, copper alloys and

zinc.

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Additional information: Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Provide good ventilation and/or an exhaust system in the work area.

Personal protection equipment

Occupational exposure controls

Respiratory protection: Provide adequate ventilation.



according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No. 2015/830

Revision date: 23/6/2020
Version: 12
Language: en-GB,IE
Date of print: 6/9/2022

UIBC FS Reagent R2

Material number 1 1921 R2 Page: 4 of 8

Hand protection: Protective gloves according to EN 374.

Glove material: Nitrile rubber - Layer thickness: 0.11 mm

Breakthrough time: > 480 min

Observe glove manufacturer's instructions concerning penetrability and breakthrough time.

Eye protection: Tightly sealed goggles according to EN 166.

Body protection: Wear suitable protective clothing.

General protection and hygiene measures:

Avoid contact with skin, eyes, and clothing. Change contaminated clothing. Wash hands before breaks and after work. When using do not eat or drink. Have eye wash bottle or eye

rinse ready at work place.

Environmental exposure controls

See section 6.2 Environmental precautions.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance: Physical state at 20 °C and 101.3 kPa: liquid

Colour: yellow

Odour: like sulfur

Odour threshold: No data available

pH: at 25 °C: 2.4

Melting point/freezing point: No data available Initial boiling point and boiling range: No data available Flash point/flash point range: not combustible Evaporation rate: No data available Flammability: No data available Explosion limits: No data available Vapour pressure: No data available Vapour density: No data available Density: at 20 °C: 1.022 g/mL

Water solubility: at 20 °C: completely miscible

Partition coefficient: n-octanol/water:

Auto-ignition temperature:

Decomposition temperature:

Viscosity, kinematic:

Explosive properties:

Oxidizing characteristics:

No data available

No data available

No data available

No data available

9.2 Other information

Additional information: No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

refer to 10.3



according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No. 2015/830

Revision date: 23/6/2020
Version: 12
Language: en-GB,IE
Date of print: 6/9/2022

UIBC FS Reagent R2

Material number 1 1921 R2 Page: 5 of 8

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

10.4 Conditions to avoid

Protect from frost, heat and sunlight.

10.5 Incompatible materials

Strong acids, alkalis, aluminium, copper, copper alloys, zinc.

10.6 Hazardous decomposition products

No hazardous decomposition products when regulations for storage and handling are

observed.

Thermal decomposition: No data available

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Toxicological effects: Acute toxicity (oral): Lack of data.

Acute toxicity (dermal): Lack of data. Acute toxicity (inhalative): Lack of data. Skin corrosion/irritation: Lack of data.

Serious eye damage/irritation: Lack of data. Sensitisation to the respiratory tract: Lack of data.

Skin sensitisation: Lack of data.

Germ cell mutagenicity/Genotoxicity: Lack of data.

Carcinogenicity: Lack of data.

Reproductive toxicity: Lack of data.

Effects on or via lactation: Lack of data.

Specific target organ toxicity (single exposure): Lack of data. Specific target organ toxicity (repeated exposure): Lack of data.

Aspiration hazard: Lack of data.

Symptoms

Can cause skin, eye and respiratory tract irritation.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity: In case of spills of large quantities: Harmful effects on water organisms by modification of

pH-value.



according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No. 2015/830

Revision date: 23/6/2020
Version: 12
Language: en-GB,IE
Date of print: 6/9/2022

UIBC FS Reagent R2

Material number 1 1921 R2 Page: 6 of 8

12.2 Persistence and degradability

Further details: No data available

12.3 Bioaccumulative potential

Partition coefficient: n-octanol/water:

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

No data available

12.6 Other adverse effects

General information: Do not allow to enter into ground-water, surface water or drains.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste key number: 16 05 06* = Laboratory chemicals, consisting of or containing hazardous substances,

including mixtures of laboratory chemicals.
* = Evidence for disposal must be provided.

Recommendation: Special waste. Dispose of waste according to applicable legislation.

Package

Waste key number: 15 01 02 = Plastic packaging

Recommendation: Dispose of waste according to applicable legislation.

Non-contaminated packages may be recycled.

SECTION 14: Transport information

14.1 UN number

ADR/RID, IMDG, IATA-DGR:

not applicable

14.2 UN proper shipping name

ADR/RID, IMDG, IATA-DGR:

Not restricted

14.3 Transport hazard class(es)

ADR/RID, IMDG, IATA-DGR:

not applicable

14.4 Packing group

ADR/RID, IMDG, IATA-DGR:

not applicable



according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No. 2015/830

Revision date: 23/6/2020 Version: 12 Language: en-GB,IE Date of print: 6/9/2022

UIBC FS Reagent R2

Material number 1 1921 R2 Page: 7 of 8

14.5 Environmental hazards

Marine pollutant:

14.6 Special precautions for user

No dangerous good in sense of these transport regulations.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

No data available

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations - Great Britain

Hazchem-Code:

No data available

National regulations - EC member states

Further regulations, limitations and legal requirements:

No data available

15.2 Chemical Safety Assessment

For this mixture a chemical safety assessment is not required.

SECTION 16: Other information

Further information

Wording of the H-phrases under paragraph 2 and 3:

H302 = Harmful if swallowed.

H351 = Suspected of causing cancer.

H361d = Suspected of damaging the unborn child.

H411 = Toxic to aquatic life with long lasting effects.

EUH210 = Safety data sheet available on request.



according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No. 2015/830

Revision date: 23/6/2020 Version: 12 Language: en-GB,IE Date of print: 6/9/2022

UIBC FS Reagent R2

Material number 1 1921 R2 Page: 8 of 8

Abbreviations and acronyms:

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

AS/NZS: Australian Standards/New Zealand Standards

CAS: Chemical Abstracts Service CFR: Code of Federal Regulations

CLP: Classification, Labelling and Packaging

DMEL: Derived minimal effect level DNEL: Derived no-effect level EC: European Community EN: European Standard

EQ: Excepted quantities EU: European Union

IATA: International Air Transport Association

IATA-DGR: International Air Transport Association – Dangerous Goods Regulations IBC Code: International Code for the Construction and Equipment of Ships carrying

Dangerous Chemicals in Bulk

IMDG Code: International Maritime Dangerous Goods Code

MARPOL: Maritime Pollution: The International Convention for the Prevention of Pollution from Ships

OSHA: Occupational Safety and Health Administration

PBT: Persistent, bioaccumulative and toxic PNEC: Predicted no-effect concentration

REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals

RID: Regulations Concerning the International Carriage of Dangerous Goods by Rail

TRGS: Technical Rules for Hazardous Substances vPvB: Very persistent and very bioaccumulative

Reason of change: Changes in section 9: pH

General revision

Date of first version: 1/8/2007

Department issuing data sheet

Contact person: see section 1: Department responsible for information

The information in this data sheet has been established to our best knowledge and was up-to-date at time of revision. It does not represent a guarantee for the properties of the product described in terms of the legal warranty regulations.